
Center's Internet Web Page URL Address: http://tsc.wes.army.mil




Spatial Data Standards for facilities, infrastructure, and environment (SDSFIE)

and

Facility Management Standards for facilities, infrastructure, and environment (FMSFIE)

DATA MODEL





CADD/GIS Technology Center

for facilities, infrastructure, and environment

- Originally established as the "Tri-Service CADD/GIS Technology Center" in 1992 at the Army Waterways Experiment Station, Information Technology Laboratory, Vicksburg, Mississippi .
- Established by the Army (including Army Corps of Engineers), Navy, and Air Force (i.e, Tri-Services).
- Center's name changed to "CADD/GIS Technology Center for facilities, infrastructure, and environment" in July, 1999 to reflect a broader mission.
- CADD Computer Aided Design & Drafting
- GIS Geographic Information System




Participating DoD and Governmental Agencies

- Participating Department of Defense (DoD) and Federal Government Agencies (as of January 2001):
- U.S. Army Corps of Engineers
- U.S. Army
- U.S. Navy
- U.S. Air Force
- U.S. Marines
- National Aeronautics and Space Administration (NASA)
- Defense Logistics Agency (DLA)
- U.S. Coast Guard
- General Services Administration (GSA)
- National Institute of Building Sciences (NIBS)
- U.S. Environmental Protection Agency


CADD/GIS/FM Standards Data Model

(Option 1 concept for initial incorporation of FMSFIE with SDSFIE & A/E/C CADD Standards. Began with TSSDS/TSFMS Release 1.80, February 1999)





Center Project No. 96.013 - Spatial Data Standards



- The Spatial Data Standards for facilities, infrastructure, & environment (SDSFIE) are CADD/GIS Technology Center Project No. 96.013.
- Monthly Status Reports are provided on CADD/GIS Technology Center web site (http://tsc.wes.army.mil) under "Projects".
- Typically, 2 "SDS Implementation Workshops" are provided each year at Vicksburg, Mississippi. See "Classes" area of CADD/GIS Technology Center web site.
- Download latest release and additional SDSFIE information from the "Products", "Standards" area of the CADD/GIS Technology Center's web site.



Part 3: Spatial Data Standards for facilities, infrastructure, & environment (SDSFIE)

- Provides a standard graphic and nongraphic (database) format and structure for GIS implementations at Air Force, Army, Navy, and Marine Corps installations and Army Corps of Engineers Civil Works activities. Also provides a GIS standard for use by other Federal, State, and Local Government organizations, public utilities; and private industry.
- Provides a "nonproprietary" standard designed for use with commercially available "off-the-shelf" GIS and relational database software.
- Provides a GIS implementation schema for approved FGDC and DISA geospatial related data standards.
- Provides a grouping of geographically referenced (geospatial) features (i.e., features which can be depicted graphically on a map at their geographic location (coordinate). Each geospatial feature has an "attached" Attribute Table containing pertinent data about the geospatial feature.
- Called Tri-Service Spatial Data Standards (TSSDS) prior to July 1999. The acronym SDS was used from July 1999 until January 2001.



Center Project No. 96.015 – **Facility Management Standards**







Facility Management Standards (FMS)

Facilities, Infrastructure, and Environment

One of the major initiatives assigned to The Computer-Aided Design and Drafting (CADD)/Geographic Information System (GIS) Technology Center for Facilities, Infrastructure, and Environment has been the development of the Facility Management Standards for Facilities, Infrastructure, and Environment (FMS).

- The Facility Management Standards for facilities, infrastructure, & environment (FMSFIE) are CADD/GIS **Technology Center Project No.** 96.015.
- Monthly Status Reports are provided on CADD/GIS Technology Center web site (http://tsc.wes.army.mil) under "Projects".
- Download latest release and additional FMSFIE information from the "Products", "Standards" area of the CADD/GIS Technology Center's web site.




Part 3: Facility Management Standards for facilities, infrastructure, & environment (FMSFIE)

- Provides a standard database format and structure for "business" and event data (e.g., inspections, repairs) related to SDSFIE geospatial features and/or A/E/C CADD objects, specifically for CADD/GIS Based implementations at Air Force, Army, Navy, & Marine Corps installations and Army Corps of Engineers Civil Works activities. Also provides a CADD/GIS Based FM standard for use by other Federal, State, and Local Government organizations, public utilities; and private industry.
- Provides a "nonproprietary" standard designed for use with commercially available "off-the-shelf" CADD, GIS, FM, and relational database software.
- Provides a grouping of related attribute tables containing "business and event data.
- Called Tri-Service Facility Management Standards (TSFMS) prior to July 1999. The acronym FMS was used from July 1999 until January 2001.
- The first FMSFIE release was included with the TSSDS/TSFMS Release 1.80, which was published on CD-ROM in February 1999. Releases 1.90 and 1.95 were published on CD-ROM in December 1999 and April 2000, respectively. Release 2.00 was completed in January 2001.



Spatial Data Standards (SDSFIE) & Facility Management Standards (FMSFIE) - Development History



- TSSDS Release 1.20 November 1993.
- TSSDS Release 1.40 August 1995.
- TSSDS Release 1.60 November 1996.
- TSSDS Release 1.70 August 1997.
- TSSDS Release 1.75 January 1998.
- TSSDS/TSFMS Release 1.80 February 1999.
- SDS/FMS Release 1.90 December 1999
- SDS/FMS Release 1.95 April 2000
- SDSFIE/FMSFIE Release 2.00 January 2001



Spatial Data and Facility Management Standards - Design Considerations

- Must be compatible with the predominant Commercially Available CADD, GIS, & Relational Database Software.
- GIS and CADD Software include:

ESRI Arc/Info
 Bentley MicroStation
 ESRI ArcView

Autodesk Map
 Intergraph MGE
 Autodesk AutoCAD

Intergraph GeoMedia - Bentley GeoGraphics

- Relational Database Management System (RDBMS) Software includes:
 - ANSI Standard Structured Query Language (SQL)

Informix SQL
 Microsoft Access - ESRI SDE

Oracle SQL- Microsoft SQL Server

- Operating Systems include:
 - UNIX
 - Windows 95, 98, 2000, and NT



SDSFIE/FMSFIE DATA MODEL ORGANIZATION

- Entity Sets
- Entity Classes
- Entity Types (Entities)
 - SDSFIE Geospatial Features (i.e. map objects).

Attribute Tables

 Database Tables containing attributes (data about the SDSFIe Geospatial Features and FMSFIE data).

Domain Tables

- Common for SDSFIE, FMSFIE, A/E/C CADD Standards.



SDSFIE/FMSFIE Data Model Organization

• Entity Sets -

Broad grouping for data management purposes.

Entity Classes -

• Grouping of data within each Entity Set for Data Management Purposes.

Entity Types -

• Grouping of SDS Geospatial Features (i.e., items that appear graphically on a map or drawing). Grouped within each Entity Class.

- Entities -

• Items that appear graphically on a map or drawing. Grouped within each Entity Type. Each Entity Type may have one or more Entities.

Attribute Tables -

• Relational database tables containing attribute data. Grouped within each Entity Class.


Domain Tables -

• Contains lists of "valid" or "permissible" values for specific attributes in an Attribute Table.



Size and Complexity - SDSFIE/FMSFIE Release 2.000

Size and Complexity - SDSFIE/SDSFIE Release 2.000



| 26 | Entity Sets |
|-------|--|
| 181 | Entity Classes |
| 1,006 | Entity Types |
| 5,453 | Entities (CADD & CADD Based GIS) |
| 1,014 | Attribute Tables (Database Tables) |
| 5,844 | Attributes (Fields in Tables) |
| 959 | Domain Tables (List & Range) |
| 1,542 | List Domain Values |
| 18 | Range Domains |
| 8,149 | Relational Database Join Relationships |



SDSFIE Entity Sets

• Entity Sets (26 Themes in Release 2.000)

Auditory Fauna Soil

Boundary Flora Transportation

Buildings Future Projects Utilities

Cadastre Geodesy Visual

Climate Geology

Common Hydrography

Communications Improvements

Cultural Landform

Demographics Land Status

Environmental Hazards Military Operations

Ecology Olfactory




Spatial Data Standards Data Model

| DATA | EXAMPLE DATA | GIS | | CADD AM/FM | |
|-----------------|---|--------------------------------|------------------------|-------------------|-------------------|
| HIERARCHY | | MGE | ARC/INFO | MicroStation | AutoCAD |
| ENTITY SET | TRANSPORTATION | PROJECT LEVEL | PROJECT LEVEL | PROJECT LEVEL | PROJECT LEVEL |
| ENTITY CLASS | TRANSPORTATION_VEHICLE | CATEGORY AND DESIGN FILE | WORKSPACE | DESIGN FILE | DRAWING FILE |
| ENTITY TYPE | ROAD CENTERLINE | GROUP BY FEATURES | COVERAGE FILE | GROUP BY LEVEL | GROUP BY LAYER |
| ENTITY S | PRIMARY_ROAD_CENTERLINE_L ECONDARY_ROAD_CENTERLINE_L TERTIARY_ROAD_CENTERLINE_L | FEATURE | SELECT BY ATTRIBUTE | LEVEL | LAYER |




Spatial Data Standards Data Model






Spatial Data Standards Data Model





SDSFIE/FMSFIE Organization – SDSFIE Entity Classes

SDSFIE Entity Classes - Grouping of geographically referenced (geospatial) features with "attached" Attribute Tables ("graphic") within an Entity Set.





SDSFIE Entity Classes

- General logical grouping of features within an Entity Set for data management purposes.
- Each entity class will be a separate map or drawing file and corresponds to the following terms:
 - GRASS (CERL): mapset
 - MGE (Intergraph): category or design file
 - ARC/INFO (ESRI): workspace
 - MicroStation (Bentley): design file
 - AutoCAD (Autodesk): drawing file



SDSFIE Entity Classes

- Since each entity class corresponds to a map file, it can contain up 63 CADD layers (levels).
 - The SDSFIE is designed to be CADD/GIS platform independent, which means the standards are designed to work with the most limiting of the predominant commercially available CADD/GIS platforms which will be used.
 - MicroStation accepts up to 63 levels per map file.
 - AutoCAD accepts an unlimited number of layers.



SDSFIE Entity Types

- Entity Type The logical name of a type or object that can be graphically depicted on a map or drawing.
- Entity Types Grouping or collection of like Items (entities) that appear graphically on a map or drawing.
- Grouped within each Entity Class.
- Each entity type has a corresponding attribute table (i.e., database table containing information concerning the entity type).



SDSFIE Entities

- Items (features) which appear graphically on a map or drawing. An Entity can be represented as a:
 - Point A single point representing the geographical location of a feature.
 - String/Chain A line.
 - Boundary (G/GT Polygon) The line string which outlines the perimeter of an area.



GIS Data Elements


Point/Node



• Boundary/Area/Polygon









SDSFIE Entities

- Representation:
 - MGE (Intergraph): A single graphic feature.
 - MicroStation (Bentley) & AutoCAD (Autodesk): on individual levels and layers, respectively.
 - ARC/INFO (ESRI): defined and available as a query object using the discriminator attribute in the attribute table.



SDSFIE Entities


• The SDSFIE specifies:

- Line styles/types for boundary and string/chain entities.
- Level/layer assignments for all entity feature types.
- Text size, font, and placement.
- Colors.
- Symbol libraries.



FMSFIE Entity Classes

FMSFIE Entity Classes - Grouping of related facility management Attribute Tables ("nongraphic") within an Entity Set. The FM Attribute Tables provide data concerning events (e.g., inspections, repairs), and additional information, related to SDSFIE geospatial features and/or A/E/C CADD Objects.





SDSFIE & FMSFIE ATTRIBUTE TABLES


- A relational database table containing non-graphic information, or attribute data.
- **SDSFIE** A "Graphic" attribute table is linked to a graphic entity, and contains data describing the graphic entity, along with other data and relationships required for geospatial and relational analysis.
- **FMSFIE** A "Nongraphic" attribute table contains data required for a "business process", or function, along with data and and relationships which may be queried for geospatial and relational analysis.



- Database A structured collection of data items about a specific topic
 - ✓ Cell Storage unit for each data item
 - √ Table A group of similar records
 - Field a "column" of related cells
 - · Record a "row" of related cells
 - ✓ Key A field with a unique identifier
 - Primary Key / Foreign Key

| KEY | STUDENTS | | |
|------|-----------|------------|--|
| ID# | LAST NAME | FIRST NAME | |
| 1001 | Smith | John | |
| 1074 | Erickson | Colleen | |
| 1123 | O'Brien | Debbie | |
| | Pierce | Kevin | |
| 1399 | Smith | John | |







RDBMS Example Data



| ı | KEY STUDENTS | | | | |
|---|--------------|-------------|------------|--------------------|-------------|
| | ID# | LAST NAME | FIRST NAME | ADDRESS | CITY |
| | (8)1 | | | | |
| | (64 | E# 24 0 0 0 | Ca e a | 675 Yellow Lane | |
| è | 1123 | O'Brien | Debbie | 231 E. West St. | Montezuma |
| ı | 1234 | Perce | SEVIO | 100 E Fairvey | (e) for |
| | 1350 | 5mlh | Bo in | 828 G in St | Springfield |

| KEY CLASSES | | | | |
|-------------|-------------------------------|------------|------|---------|
| ID# | COURSE | INSTRUCTOR | ROOM | TIME |
| S118 | Relational & Object Databases | 1014 | 102 | Slot 1 |
| S541 | | 1123 | | \$ 64 1 |
| 8333 | | 1123 | | |
| | Lighting - Friend or Fee | 1002 | | |
| T 555 | lierier beister bei 🖊 | 1111 | | \$ 33.4 |

| KEY INSTRUCTORS | | | | |
|-----------------|----------|------------|---------|--|
| ID# | AST NAME | FIRST NAME | RATE | |
| 1002 | | | \$6.0 | |
| | | Kevin | \$0.01 | |
| | | | | |
| 1123 | fresley | EVE | \$10.00 | |




DOMAIN TABLES

- Contains lists of permissible values for specific attributes.
- Provides a finite set of "valid" or "allowable" values, and may be enlarged as necessary.
- Includes units of measure, materials, methods, dispositions, classes, status, phase, etc.




JOIN RELATIONSHIPS BETWEEN RDBMS TABLES






Example SDSFIE Structure




Environmental Restoration Site - A geographic area where an active environmental study or project is underway to remediate pollutants located in the soil, sediment, surface water, or groundwater.




Example Structure







Example SDSFIE Structure





GIS and Map Development Considerations

- Accuracy of the data depends upon the source of the data (e.g., physical surveys, aerial photography, scanned drawings, GPS, etc.) and the target map plot scale. The higher the accuracy, the higher the cost of data acquisition.
- All CADD files (which will be used for GIS & map development) should be developed in actual (real world) size, or scale.
- The same origin, datum, and coordinate system should be used for all CADD files (which will be used for GIS & map development) for a specific project or installation.



GIS & Map Development Considerations

Two general categories of target map plot scales:

- Small Scale Maps: Includes maps with plotted map scales of 1:62,500 or 1 inch = 5,208 feet or smaller. USGS quadrangle maps, etc.
- Large Scale Maps: Includes maps or drawings with plotted map scales greater than 1 inch = 5,208 feet. Municipal, utility, master plans, base comprehensive plans, construction drawings, etc.




GIS & Map Development Considerations

- Entities (i.e., features and objects) can be depicted differently at different target map plot scales.
 - For example, an Installation Program (IRP) Site would be depicted as a point feature (with a symbol) on a small scale map. The same IRP site would be depicted as a boundary feature on a large scale map with a scale of 1 inch = 100 feet.



GIS & Map Development Considerations


DoD Installation Restoration Program (IRP) Sites are depicted as point features (with an associated symbol) on this map. The same IRP site might be depicted as a boundary (polygon) feature on a large scale map with a scale of 1 inch = 100 feet.





Map Plot Scale and Geospatial Data


Transportation Example



CADD/GIS/FM Standards for Facilities, Infrastructure, & Environment (FIE) Data Model

(Option 2 Concept for incorporation of "transactional" FMSFIE with SDSFIE & A/E/C Standards.

Development of FMSFIE Entity Sets began in Fiscal Year 2001)





Bobby G. Carpenter, P.E.

Environmental Engineer

CADD/GIS Technology Center for facilities, infrastructure, and environment CEERD-ID-C

Army Engineer Research and Development Center at Waterways Experiment Station 3909 Halls Ferry Road Vicksburg, MS 39180-6199

> phone: 601-634-4572 fax: 601-634-4584

E-mail: carpenb@wes.army.mil

CADD/GIS Technology Center Internet URL: http://tsc.wes.army.mil